


SEFAR GLASSLINE

The screen printing mesh efficiency champion for printing functional and decorative glass.



Mesh Features

SEFAR GLASSLINE is the screen printing mesh of choice when it comes to produce various sizes of stencils for the glass industry. SEFAR GLASSLINE provides the most reproducible printing results for glass applications in cars, buses, trucks and special vehicles. It also offers exceptional image quality and durability for functional and decorative exterior and interior construction glass, as well as in home appliance glass applications.

- Precise mesh geometry with balanced and low elongation
- Adhesion optimized surface treatment
- Exposure-optimized yellow mesh coloration
- Good antistatic behavior thanks to Sefar antistatic treatment
- Knot and fault indication
- Industry specific product range up to a mesh width of 4 meters
- Manufactured to meet the highest industry standards

DOWNLOADS

[SEFAR GLASSLINE Article list \(PDF 644 kb\)](#)

[SEFAR GLASSLINE Product data sheet \(PDF 199 kb\)](#)

Sefar mesh selector app for smartphones

This app supports the screen printing user in selecting the optimal screen printing mesh depending on the application.

Sefar Pty Ltd
Filtration and Metal Mesh

19-21 Huntingwood Drive
 Huntingwood NSW 2148
 Australia

Phone +61 2 8822 1700
 Fax +61 2 8822 1744

oceaniasales@sefar.com

[Go to product page](#)



Your Benefits

Screen / stencil maker benefit

- Efficient stretching process due to the low and balanced mesh elongation
- Best reproduction of tension values, as the mesh geometry is precisely maintained
- Excellent stencil adhesion
- Reliable and homogeneous coating with emulsion
- Compatible with all standard emulsions
- Accurate reproduction from the artwork to the stencil
- Reducing susceptibility to dust in the stencil production
- Reduction of retouching

Printer benefit

- Best repeatability of ink or paste deposit
- Consistently high print quality
- Reduction of costs due to longer stencil life
- Less downtime due to premature stencil breakdown on the printing press during high volume printing
- Best edge definition and detail reproduction of heating conductor lines as well as of fine functional and decorative elements
- Production reliability due to reduced risk of electrostatic charge
- Reduction of waste and increased production efficiency

Sefar Pty Ltd
Filtration and Metal Mesh

19-21 Huntingwood Drive
 Huntingwood NSW 2148
 Australia

Phone +61 2 8822 1700
 Fax +61 2 8822 1744

oceaniasales@sefar.com


[Go to product page](#)

- Efficient, rational stencil production and quality control
- Cost reduction thanks to the optimization
- No surprises on press due to a missed knot
- Process reliability thanks to the high quality stencils
- Repeatable and uncompromising print quality

Applications

- Automotive glass
- Construction glass
- Home appliance glass
- Hollow glass

SEFAR GLASSLINE is a wide range of medium-coarse screen printing mesh for industrial printing applications on glass. The properties of SEFAR GLASSLINE are precisely tailored to the needs of the glass industry. Its precise mesh geometry, low elongation, high tensile strength and excellent stencil adhesion, ensure a lean stencil production process an.



For unchanging quality during high production runs of window heating conductors with SEFAR GLASSLINE 77/195-48Y



For a precise and durable print image on the glass facade with SEFAR GLASSLINE 68/175-95W



Brilliant colors and crisp print edges with UV inks. Printed with SEFAR PCF 120/305-34Y

Locations

Sefar Pty Ltd
Filtration and Metal Mesh

19-21 Huntingwood Drive
 Huntingwood NSW 2148
 Australia

Phone +61 2 8822 1700
 Fax +61 2 8822 1744

oceaniasales@sefar.com

[Go to product page](#)



Sefar Pty Ltd
Filtration and Metal Mesh

19-21 Huntingwood Drive
Huntingwood NSW 2148
Australia
Phone: +61 2 8822 1700
Fax: +61 2 8822 1744

■ E-Mail



Sefar Pty Ltd
Filtration and Metal Mesh

Unit 4, 68 Callaway Street
Wangara WA 6065
Australia
Phone: +61 8 9303 2600
Fax: +61 8 6305 0930

■ E-Mail