

Rotary Drum Filter Belts

Sefar's innovative synthetic fabrics are the material of choice for rotary drum filters. Sefar filter belt and cover solutions offer excellent separation efficiency and a long, trouble-free lifetime.

To cope with the demanding environment of the various process industries, Sefar has developed a dedicated range of filter media in order to maximize the customer's value.



Product Features

Sefar filter solutions for Rotary Drum Filters

Understanding the filtration process is one key requirement for filter solution development. This is a Sefar core competence. We have spent decades developing filter media made from synthetic yarns.

Sefar's innovative synthetic fabrics are the material of choice for rotary drum filters. Sefar filter belt and cover solutions offer excellent separation efficiency and a long, trouble-free lifetime.

DOWNLOADS

Brochure: Process Filtration (PDF 5300 kb)

Product features

Fitting the belts to the specific drum filter design is essential for smooth and efficient filtration performance. Sefar's expertise helps to define the most suitable filter media and fabrication method for your utilized equipment type and application. Sefar has developed optimized custom solutions for fabric closure mechanisms and edgings for all types of vacuum drum filters.



Sefar Pty Ltd Filtration and Metal Mesh

19-21 Huntingwood Drive
Huntingwood NSW 2148
Australia

Phone +61 2 8822 1700
Fax +61 2 8822 1744

oceaniasales@sefar.com

[Go to product page](#)

Mushroom profile



Available are round rubber profiles having 10 and 20 mm diameter and mushroom-type rubber profiles



Scraper / Knife discharge



Precoat discharge (advancing knife)



Belt discharge



Roller discharge

Many application areas – one solution provider

Sefar Pty Ltd
Filtration and Metal Mesh

19-21 Huntingwood Drive
Huntingwood NSW 2148
Australia

Phone +61 2 8822 1700
Fax +61 2 8822 1744

oceaniasales@sefar.com

[Go to product page](#)

To cope with the demanding environment of the various process industries, Sefar has developed a dedicated range of filter media in order to maximize the customer's value.

Sefar filter media are the industries preferred solutions for rotary drum filters – trust Sefar filter belt solutions!



Chemical

Sefar products perform at high levels, even under aggressive conditions. Count on Sefar to meet the demands of your application process – whether it's extreme pH, high temperatures, or specific chemical environments like solvents, oxidants, acids or alkalis.



Mineral

Sefar meets the high quality and productivity demands in challenging applications. Our products offer reliability in filtration by using strong woven fabrics, adapting the correct pore size to the application and providing resistance to abrasive slurries or a heavy cake.



Environment

Sefar has a solution for each application used in sludge dewatering. No matter what the characteristics of your treatment, you can trust Sefar to meet the challenges of your sludge dewatering preparation.

Sefar Pty Ltd Filtration and Metal Mesh

19-21 Huntingwood Drive
Huntingwood NSW 2148
Australia

Phone +61 2 8822 1700
Fax +61 2 8822 1744

oceaniasales@sefar.com

[Go to product page](#)



Life Science

Sefar production methods and facilities are integrated to include verifiable traceability for life sciences industries. Only Sefar controls the yarn production, weaving and filtration through to the final filter. The Sefar PHARMA GMP program satisfies the regulatory requirements of pharmaceutical applications.



Food

In food applications, conformity to hygienic and safety guidelines is imperative. For this reason, a reliable supplier like Sefar – able to provide you with FDA or EU compliant fabrics for filter products – is crucial to your success. You can also count on Sefar's consistent supply of products during seasonal production peaks.

Sefar filter solutions for OEM

Our products meet the specific needs of these filtration applications and are successfully running all over the world on all known drum filter belt brands and OEMs, such as:

Sefar Pty Ltd Filtration and Metal Mesh

19-21 Huntingwood Drive
Huntingwood NSW 2148
Australia

Phone +61 2 8822 1700
Fax +61 2 8822 1744

oceaniasales@sefar.com

[Go to product page](#)

Alfa Laval Dorr Oliver
Eimco

Andritz Separation

Bokela

FL
Smidth

Komline
Sanderson

TSK

Mitsubishi (MKK)

Eimco
KCP

Westech

RPA Process

Filter media technology

Sefar's monofilament and multifilament fabric technologies were developed to retain the finest particles together with having the highest possible throughput.

The unique filter surface makes for good cake release and easy cleaning.

SEFAR **TETEX** MONO and MULTI are available in PP, PET, PA, PEEK, PVDF and E - CTFE and have pore sizes from 2 µm to 160 µm.


Monofilament fabric



- Good particle retention

- High filtration capacity


Multifilament fabric



- Excellent particle retention

- Low filtrate turbidity

Double-layer fabric



- Fine filtration, high throughput

- Low filtrate turbidity

Sefar Pty Ltd Filtration and Metal Mesh

19-21 Huntingwood Drive
Huntingwood NSW 2148
Australia

Phone +61 2 8822 1700
Fax +61 2 8822 1744

oceaniasales@sefar.com

[Go to product page](#)

- Excellent cake release
- Good cleaning abilities
- Strong filter belt
- Very good cleaning abilities

Fabric rating depends on local conditions and chemical or thermal interactions. High temperature resistant finishing available on request.



CONTACT

- Local contact
- Contact form
- Send mail

Please call us for further information:
Phone CH: +41 71 898 5700

Locations



Sefar Pty Ltd Filtration and Metal Mesh

19-21 Huntingwood Drive
Huntingwood NSW 2148
Australia
Phone: +61 2 8822 1700
Fax: +61 2 8822 1744

■ E-Mail

Sefar Pty Ltd Filtration and Metal Mesh

19-21 Huntingwood Drive
Huntingwood NSW 2148
Australia

Phone +61 2 8822 1700
Fax +61 2 8822 1744

oceaniasales@sefar.com

[Go to product page](#)



Sefar Pty Ltd
Filtration and Metal Mesh

Unit 4, 68 Callaway Street
Wangara WA 6065
Australia
Phone: +61 8 9303 2600
Fax: +61 8 6305 0930

■ **E-Mail**