

# SEFAR® PET 1500

The screen printing mesh professionals use

swiss  
mesh  
technology



**S E F A R**  
■ ■ ■ ■

# SEFAR® PET 1500

The screen printing mesh professionals use

SEFAR® PET 1500 is the best stencil carrier for an almost infinite number of screen printing applications – the most wanted for decoration of any printable substrate. SEFAR® PET 1500 is available in the largest range of different screen printing mesh types.


Mesh features	Screen / stencil maker benefit	Printer benefit
<b>Unsurpassed UV-A light undercutting protection of yellow mesh</b>	<ul style="list-style-type: none"><li>▪ Absorption range adapted to the UV-A radiation spectrum</li><li>▪ Sharp-edged reproduction of the artwork on the stencil</li><li>▪ Finest detail reproduction in stencil</li><li>▪ Wide exposure tolerance</li></ul>	<ul style="list-style-type: none"><li>▪ Sefar yellow supports the printing of demanding tasks in which high resolution detail are essential</li><li>▪ High reproducibility of fine halftones and its gradients in print</li><li>▪ Best edge definition in print</li></ul>
<b>Adhesion and preparation optimized mesh surface</b>	<ul style="list-style-type: none"><li>▪ Homogeneous coating and constant application of emulsion</li><li>▪ Easy and secure capillary film application thanks to excellent wetting properties</li><li>▪ Compatible with all standard emulsions</li></ul>	<ul style="list-style-type: none"><li>▪ Extended screen life</li><li>▪ High quality image reproduction</li></ul>
<b>Reproducible mesh relaxation</b>	<ul style="list-style-type: none"><li>▪ The tension drop between the stretching and printing process is stable and low for subsequent print runs</li><li>▪ Process and product reliability</li></ul>	<ul style="list-style-type: none"><li>▪ Better color to color reproduction</li><li>▪ Good reproducibility of fine details in long print runs</li></ul>
<b>Good ink and paste release behaviour</b>	<ul style="list-style-type: none"><li>▪ When bonding after the stretching process, adhesive passes good through the mesh, therefore less problem in bonding the mesh to the frame</li></ul>	<ul style="list-style-type: none"><li>▪ Uniform ink application on large sized area prints</li><li>▪ Maintaining of tightest color shade tolerances</li><li>▪ High quality printing results in long print volume</li></ul>
<b>Good antistatic behavior, thanks to Sefar antistatic treatment</b>	<ul style="list-style-type: none"><li>▪ Simple, reliable and user-friendly screen production</li><li>▪ Reduced susceptibility to dust in the stencil production</li><li>▪ Reduction of retouching time</li></ul>	<ul style="list-style-type: none"><li>▪ Production reliability thanks to reduced risk of electrostatic charge</li><li>▪ Error-free and clean printing</li><li>▪ Reduction of waste in the print process and increased production efficiency</li></ul>
<b>Wide standard range with high availability</b>	<ul style="list-style-type: none"><li>▪ Optimizing of storage management</li><li>▪ Short delivery time</li><li>▪ High reliability ensures continuous production</li></ul>	<ul style="list-style-type: none"><li>▪ Ensured continual delivery of stencils</li><li>▪ Unlimited options of ink/paste film thickness</li></ul>
<b>Manufactured to meet the highest industry standards</b>	<ul style="list-style-type: none"><li>▪ Process stability through consistent quality control</li><li>▪ Quality you can count on</li></ul>	<ul style="list-style-type: none"><li>▪ High quality printing results</li><li>▪ Process reliability thanks to the best stencil quality</li><li>▪ Predictable results, no surprises on press</li></ul>

# SEFAR® PET 1500


The screen printing mesh professionals use

## Unsurpassed UV-A light undercutting protection

Sefar's proprietary mesh dying process allows for a large exposure latitude and the highest resolution of sharp edge stencil copy.




Undercutting protection of SEFAR® PET 1500 120/305-34Y




Undercutting protection of standard dyed polyester mesh 120/305-34Y

## Surface treatment

The SEFAR® PET 1500 surface treatment ensures optimum adhesion, good wettability and favorable antistatic properties – ideal for high quality and efficient processing of all the commercially-available screen printing stencil systems.



Stencil adhesion of SEFAR® PET 1500 120/305-34Y



Stencil adhesion of standard polyester mesh 120/305-34Y

## Applications

SEFAR® PET 1500 impresses with its performance in a wide variety of applications, ranging from graphic screen printing in small and large sizes, such as posters, displays, and signage; printing on plastics such as sporting goods, thermoformed parts, etc.; on the decoration of ceramic, directly or indirectly, and on up to textile printing and other industrial printing tasks.



Backlit posters with halftones higher than 30 lines/cm printed with SEFAR® PET 1500 165/420-27Y



For selected clear varnish on labels, printed with SEFAR® PET 1500 77/195-55Y




Intense metallic effects on sporting goods with SEFAR® PET 1500 90/230-40Y



Great detail reproduction on ceramic decals printed with SEFAR® PET 1500 150/380-31Y

## Mesh assortment

The SEFAR® PET 1500 range is available in a broad range of mesh types and widths. The mesh properties provide solutions for all types of screen printing applications. Choose the ideal screen printing meshes from our product portfolio for your printing needs. For specific advice on your application please contact your local Sefar sales representative.



## Sefar worldwide

Sefar is the leading manufacturer of precision fabrics from monofilaments for the screen printing and filtration market. Sefar products are used in a wide variety of industries, reaching from electronics, graphics, medical, automotive, food and pharmaceutical applications to aerospace, mining & refining and architecture. With its profound understanding of the applications Sefar helps its customers to achieve optimum results in their industrial processes. Subsidiaries and fabrications centers around the world provide local technical service for the broad range of solutions offered by Sefar.

### Headquarters

**Sefar AG**  
Hinterbissastrasse 12  
9410 Heiden – Switzerland  
Phone +41 71 898 57 00  
Fax +41 71 898 57 21  
printing@sefar.com  
[www.sefar.com](http://www.sefar.com)

### Subsidiaries Americas

**USA** – Buffalo  
Phone +1 800 995 0531  
sales@sefar.us

**Mexico** – Cuautitlan Izcalli  
Phone +52 55 5394 8689  
info.mexico@sefar.com

**Brazil** – São Bernardo do Campo  
Phone +55 11 4390 6300  
printing@sefar.com

### Subsidiaries Asia

**Singapore**  
Phone +65 6299 9092  
info.sg@sefar.com

**China** – Shenzhen  
Phone +86 755 2382 0322  
printing@sefar.com

**China** – Suzhou  
Phone +86 512 6283 6383  
printing@sefar.com

**Hong Kong** – Kwai Fong N.T.  
Phone +852 2650 0581  
printing@sefar.com

**India** – Thane  
Phone +91 2522 2940 34/35/36  
printing@sefar.com

### Subsidiaries Europe

**Spain** – Cardedeu  
Phone +34 93 844 47 10  
printing@sefar.com

Your Sefar trading partner:



Our most current general sales conditions shall apply.  
Please consult the most current local product data sheet prior to any use.

**S E F A R**  
■ ■ ■ ■